

L Number	Hits	Search Text	DB	Time stamp
1	3143	cad and ((design\$4 assembl\$4) near5 (product\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:32
2	295	((gui or ui or (user near2 interfac\$2))) near3 input near5 config\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:33
3	3	(cad and ((design\$4 assembl\$4) near5 (product\$4))) and (((gui or ui or (user near2 interfac\$2))) near3 input near5 config\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:33
-	72461	(gui or ui or (user near2 interfac\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:12
-	154	((gui or ui or (user near2 interfac\$2))) near5 input near5 config\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:33
-	0	((gui or ui or (user near2 interfac\$2))) near5 input near5 config\$5) and (frame\$1 near3 engin\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:46
-	2047	output near5 config\$5 near5 data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:47
-	243	((gui or ui or (user near2 interfac\$2))) near5 input near5 config\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:48
-	0	(frame\$1 near3 engin\$2) and (((gui or ui or (user near2 interfac\$2))) near5 input near5 config\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:48
-	2	(output near5 config\$5 near5 data) and (((gui or ui or (user near2 interfac\$2))) near5 input near5 config\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:51
-	4	(frame\$1 near3 engin\$2) and ((output near5 config\$5 near5 data) and ((gui or ui or (user near2 interfac\$2))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:52
-	3	((output near5 config\$5 near5 data) and ((gui or ui or (user near2 interfac\$2)))) and inferenc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:58
-	309	(output near5 config\$5 near5 data) and ((gui or ui or (user near2 interfac\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 13:19

-	7874	config\$7 near5 (product\$1 or service\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 13:20
-	20689	config\$7 near5 (product\$1 or service\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 13:21
-	503	config\$7 near5 (product\$1 or service\$2) near5 order\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 13:27
-	3	(config\$7 near5 (product\$1 or service\$2) near5 order\$4) same internet same (on-line or online)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 13:23
-	1	(config\$7 near5 (product\$1 or service\$2) near5 order\$4) same (e-commerce)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 13:24
-	7	(config\$7 near5 (product\$1 or service\$2) near5 order\$4) same (commerce)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 13:24
-	72	config\$7 near5 (product\$1 or service\$2) near5 order\$4 near10 custom\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 14:14
-	1532	custom\$7 near5 product\$1 near5 order\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 14:18
-	11	(custom\$7 near5 product\$1 near5 order\$4) same (e-commerce\$1 or ecommerce\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 14:18
-	15097	custom\$7 near5 product\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 14:18
-	108	(custom\$7 near5 product\$1) same (e-commerce\$1 or ecommerce\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 14:19
-	2	5745765.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 16:05
-	2	5877966.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 16:05

-	8810	frame\$1 near3 engin\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 16:32
-	9	(frame\$1 near3 engin\$2) and (config\$5 near5 product\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 16:33
-	13	(frame\$1 near3 engin\$2) and (config\$7 near5 product\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 16:36
-	6	cad near5 custom\$4 near5 product\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 16:43
-	12	cad near10 custom\$4 near5 product\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 16:44
-	72521	(ui or (user near2 interfac\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/22 13:23
-	179	((ui or (user near2 interfac\$2))) and (project\$5 near5 config\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/22 13:23
-	102	((((ui or (user near2 interfac\$2))) and (project\$5 near5 config\$6)) and (fram\$3 or inferenc\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/22 13:24
-	25	(((((ui or (user near2 interfac\$2))) and (project\$5 near5 config\$6)) and (fram\$3 or inferenc\$5)) and (output near5 config\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/22 13:25
-	25	(((((ui or (user near2 interfac\$2))) and (project\$5 near5 config\$6)) and (fram\$3 or inferenc\$5)) and (output\$5 near5 config\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/22 13:25
-	0	6351734.pn. and (configur\$4 near5 product\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 11:24
-	1	6351734.pn. and (configur\$4 same product\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 11:24
-	1	"CAD" same (product\$3 near5 hierarch\$4) same fram\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:35

-	6	"CAD" same (product\$3 near5 design) same fram\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 15:00
-	661	"CAD" same (product\$3 near5 design)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 15:00
-	20	("CAD" same (product\$3 near5 design)) and (question\$3 same answer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 15:02
-	110	((UI or (user near2 interface)) near5 receiv\$4 near5 configurat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:14
-	0	((((UI or (user near2 interface)) near5 receiv\$4 near5 configurat\$4)) and ((frame\$1 near3 engin\$2) near5 output near5 configurat\$4) same inference\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:16
-	0	((((UI or (user near2 interface)) near5 receiv\$4 near5 configurat\$4)) and ((frame\$1 near3 engin\$2) near5 output\$3 near5 configurat\$4) same inference\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:16
-	0	((((UI or (user near2 interface)) near5 receiv\$4 near5 configurat\$4)) and (frame\$1 near5 output\$3 near5 configurat\$4) same inference\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:17
-	0	((((UI or (user near2 interface)) near5 receiv\$4 near5 configurat\$4)) and (frame\$1 near5 engine\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:18
-	33	((((UI or (user near2 interface)) near5 receiv\$4 near5 configurat\$4)) and (frame\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:25
-	17579	product\$3 near5 configurat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:27
-	0	(product\$3 near5 configurat\$4) and (fram\$3 near5 engine\$1) same inferenc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:28
-	0	((product\$3 near5 configurat\$4) and (fram\$3 near5 engine\$1)) and inferenc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:28
-	17	(product\$3 near5 configurat\$4) and (fram\$3 near5 engine\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:31

-	9519	fram\$3 near3 engine\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:32
-	0	(fram\$3 near3 engine\$1) same (output\$4 near5 configurat\$4 near5 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:34
-	5	(fram\$3 near3 engine\$1) and (output\$4 near5 configurat\$4 near5 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:34
-	24636	CAD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:35
-	91	(CAD) and (configurat\$4 near5 fram\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:37
-	0	((CAD) and (configurat\$4 near5 fram\$2)) and (inferenc\$3 near5 ouput\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:37
-	0	((CAD) and (configurat\$4 near5 fram\$2)) and (inferenc\$3 same ouput\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:38
-	2	((CAD) and (configurat\$4 near5 fram\$2)) and (inferenc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:52
-	13710	5293478.pn. (frame\$1 near5 engine\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:53
-	0	5293479.pn. and (frame\$1 near5 engine\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:53
-	1	5293479.pn. and (frame\$1 same engine\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:20
-	0	5293479.pn. and (user\$1 near5 input\$4 near5 configurat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:56
-	0	5293479.pn. and (user\$1 near7 input\$4 near7 configurat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:56

-	0	5293479.pn. and (input\$4 near7 configurat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:57
-	0	5293479.pn. and (output\$4 near7 configurat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:57
-	0	5293479.pn. and (input\$4 same configurat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:58
-	1	5293479.pn. and (input\$4 same output\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 11:05
-	1	5293479.pn. and (select\$4 near5 project\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 11:07
-	1	5293479.pn. and (user near3 interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 11:11
-	0	5293479.pn. and (user near3 interface near5 configurat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 11:11
-	1	5293479.pn. and (user near3 interface near10 configurat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 13:28
-	5142	product\$3 near4 design\$3 near4 (tool\$1 system\$1 method\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 13:31
-	1102	product\$3 near4 configurat\$3 near4 (tool\$1 system\$1 method\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 13:32
-	6168	(product\$3 near4 design\$3 near4 (tool\$1 system\$1 method\$1)) or (product\$3 near4 configurat\$3 near4 (tool\$1 system\$1 method\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 13:32
-	0	((product\$3 near4 design\$3 near4 (tool\$1 system\$1 method\$1)) or (product\$3 near4 configurat\$3 near4 (tool\$1 system\$1 method\$1))) and ((frame\$1 near3 engine\$1) near5 (output\$3 display\$4)) same inference\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 13:36
-	0	((product\$3 near4 design\$3 near4 (tool\$1 system\$1 method\$1)) or (product\$3 near4 configurat\$3 near4 (tool\$1 system\$1 method\$1))) and ((frame\$1) near5 (output\$3 display\$4)) same inference\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 13:35

-	1	((product\$3 near4 design\$3 near4 (tool\$1 system\$1 method\$1)) or (product\$3 near4 configurat\$3 near4 (tool\$1 system\$1 method\$1))) and ((frame\$1) same (output\$3 display\$4)) same inference\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 13:35
-	0	5293479.pn. and (frame\$1 same assembling\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:21
-	1	5293479.pn. and (frame\$1 same assembl\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:23
-	1	5293479.pn. and (frame\$1 near10 assembl\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:24
-	1	5293479.pn. and (frame\$1 same engin\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:42
-	0	5293479.pn. and (access\$4 near7 interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:43
-	0	5293479.pn. and (access\$4 near10 interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:43
-	0	5293479.pn. and (access\$4 same interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:44
-	1	5293479.pn. and (access\$4 and interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:56
-	1	5293479.pn. and (project\$4 near10 select\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:57
-	0	5784286.pn. and (product\$1 near10 knowledg\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 16:56
-	1	5784286.pn. and (hierarch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 17:00
-	24711	product\$1 near3 design\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 17:01

-	66451	(product\$1 configur\$6) near3 design\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 17:02
-	33	((product\$1 configur\$6) near3 design\$3) and (product\$1 near5 (information knowledg\$3) near5 hierarch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 17:05
-	2	5966310.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/16 14:16
-	67546	product\$3 near5 (design\$3 config\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:55
-	5161	computer same (product\$3 near5 (design\$3 config\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:39
-	5161	computer\$3 same (product\$3 near5 (design\$3 config\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:26
-	2	(computer\$3 same (product\$3 near5 (design\$3 config\$6))) and (hierarch\$4 near5 product\$4 near5 frame\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:31
-	122	(computer\$3 same (product\$3 near5 (design\$3 config\$6))) and (hierarch\$4 near5 product\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:32
-	6	((computer\$3 same (product\$3 near5 (design\$3 config\$6))) and (hierarch\$4 near5 product\$4)) and (frame\$3 near5 assembl\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:35
-	6688	computer same (product\$3 near8 (design\$3 config\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:39
-	458	(computer same (product\$3 near8 (design\$3 config\$6))) and (question\$3 same (answer\$3 ask\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:53
-	17	((computer same (product\$3 near8 (design\$3 config\$6))) and (question\$3 same (answer\$3 ask\$4))) and (frame\$3 and inference\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:52
-	4	((computer same (product\$3 near8 (design\$3 config\$6))) and (question\$3 same (answer\$3 ask\$4))) and (frame\$3 same inference\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:46

-	158	(computer same (product\$3 near8 (design\$3 config\$6))) and (product\$3 same question\$3 same (answer\$3 ask\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:53
-	2	((computer same (product\$3 near8 (design\$3 config\$6))) and (product\$3 same question\$3 same (answer\$3 ask\$4))) and (assembl\$4 same inference\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:54
-	903	(product\$3 near5 (design\$3 config\$6)) and (product\$3 near7 (question\$4 ask\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:57
-	110	(computer\$3 same (product\$3 near5 (design\$3 config\$6))) and (assembl\$4 near9 frame\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:57
-	4	((computer\$3 same (product\$3 near5 (design\$3 config\$6))) and (assembl\$4 near9 frame\$4)) and (inference\$3 and pric\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/01 13:58
-	27531	"CAD"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:43
-	146	"CAD" and (inference\$4 and hierarch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:26
-	35	("CAD" and (inference\$4 and hierarch\$4)) and ((request\$4 question\$4) same (answer\$3 ask\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:58
-	2	4964060.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:09
-	1	4964060.pn. and (product\$1 and knowledg\$3 and hierarch\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 09:59
-	1	4964060.pn. and (product\$1 and knowledg\$3 and hierarch\$5 and frame\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:00
-	1	4964060.pn. and (product\$1 and knowledg\$3 and hierarch\$5 and frame\$3 AND answer\$3 and question\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:00
-	1	4964060.pn. and (product\$1 and knowledg\$3 and hierarch\$5 and frame\$3 AND answer\$3 and question\$3 and inference\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:01

-	1	4964060.pn. and (product\$1 and knowledg\$3 and hierarch\$5 and frame\$3 AND answer\$3 and question\$3 and inference\$3 and configur\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:05
-	1	4964060.pn. and (product\$1 and knowledg\$3 and hierarch\$5 and frame\$3 AND answer\$3 and question\$3 and inference\$3 and configur\$3 and cad)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:05
-	1	4964060.pn. and (product\$1 and knowledg\$3 and hierarch\$5 and frame\$3 AND answer\$3 and question\$3 and inference\$3 and configur\$3 and cad and database\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:06
-	1	4964060.pn. and (product\$1 and knowledg\$3 and hierarch\$5 and frame\$3 AND answer\$3 and question\$3 and inference\$3 and configur\$3 and cad and database\$1 and expert\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:23
-	1	4964060.pn. and (product\$3 same knowledg\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:10
-	0	4964060.pn. and (product\$3 same knowledg\$3 same hierarch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:10
-	1	4964060.pn. and (product\$3 same knowledg\$3 and hierarch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:16
-	1	4964060.pn. and (product\$3 same knowledg\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:13
-	1	4964060.pn. and (product\$3 and knowledg\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:13
-	1	4964060.pn. and (knowledg\$3 and hierarch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:16
-	3	(product\$1 and knowledg\$3 and hierarch\$5 and frame\$3 AND answer\$3 and question\$3 and inference\$3 and configur\$3 and cad and database\$1 and expert\$3 and price\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:23
-	303	"CAD" and (inference\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:26
-	117	("CAD" and (inference\$4)) and (request\$4 question\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:26

-	3	((("CAD" and (inference\$4)) and (request\$4 question\$3)) and ((configur\$4 draw\$4) near7 product\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:28
-	158837	(product\$3 frame\$1) near5 (design\$3 draw\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:29
-	5160	((product\$3 frame\$1) near5 (design\$3 draw\$4)) and (product\$1 near5 (knowledge\$4 information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:30
-	128	((((product\$3 frame\$1) near5 (design\$3 draw\$4)) and (product\$1 near5 (knowledge\$4 information))) and (request\$3 question\$2 answer\$3) and Inference\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:31
-	61	(((((product\$3 frame\$1) near5 (design\$3 draw\$4)) and (product\$1 near5 (knowledge\$4 information))) and (request\$3 question\$2 answer\$3) and Inference\$3) and price\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/02 10:32
-	2	5822206.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:55
-	0	5822206.pn. and (knowledge\$3 same hierarch\$4 same structure\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:56
-	0	5822206.pn. and (knowledge\$3 same hierarch\$4 same structure\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 14:56
-	1	5822206.pn. and (knowledge\$3 same hierarch\$4 same structure\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:04
-	0	5822206.pn. and (category\$4 same frame\$2 same node\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:05
-	0	5822206.pn. and (category\$4 and frame\$2 and node\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:05
-	1	5822206.pn. and (category\$4 and frame\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 09:51
-	0	5822206.pn. and (inference\$4 same frame\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 09:52

-	1	5822206.pn. and (inference\$4 and frame\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 09:56
-	0	5822206.pn. and (config\$4 same product\$3 same inference\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 09:57
-	0	5822206.pn. and (config\$4 same product\$3 and inference\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 09:57
-	0	5822206.pn. and (config\$4 and product\$3 and inference\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 09:57
-	0	5822206.pn. and (configur\$4 and product\$3 and inference\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 09:57
-	1	5822206.pn. and (design\$3 and product\$3 and inference\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 09:58
-	0	5822206.pn. and (design\$3 same product\$3 same inference\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 09:58
-	1	5822206.pn. and (design\$3 same product\$3 and inference\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 09:58
-	38	(network\$3 near5 user\$3 near5 input\$3) same GUI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 12:30
-	124439	(gui or ui or (user\$3 near2 interfac\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:12
-	23445	((gui or ui or (user\$3 near2 interfac\$2))) and ((assembl\$4 design\$4 creat\$4) near5 (component\$4 part\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:13
-	798	((gui or ui or (user\$3 near2 interfac\$2))) and ((assembl\$4 design\$4 creat\$4) near5 (component\$4 part\$4))) and ((quest\$4 ask\$3) near5 (product\$4 component\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:15
-	422	((gui or ui or (user\$3 near2 interfac\$2))) and ((assembl\$4 design\$4 creat\$4) near5 (component\$4 part\$4))) and ((quest\$4 ask\$3) near5 (product\$4 component\$4))) and ((answer\$4 input\$4 typ\$4) near5 (quest\$4 ask\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:16

-	0	(((((gui or ui or (user\$3 near2 interfac\$2)))) and ((assembl\$4 design\$4 creat\$4) near5 (component\$4 part\$4))) and ((quest\$4 ask\$3) near5 (product\$4 component\$4))) and ((answer\$4 input\$4 typ\$4) near5 (quest\$4 ask\$4))) and (assembl\$4 near5 fram\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:18
-	6	(((((gui or ui or (user\$3 near2 interfac\$2)))) and ((assembl\$4 design\$4 creat\$4) near5 (component\$4 part\$4))) and ((quest\$4 ask\$3) near5 (product\$4 component\$4))) and ((answer\$4 input\$4 typ\$4) near5 (quest\$4 ask\$4))) and (design\$4 near5 fram\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:17
-	140	(((((gui or ui or (user\$3 near2 interfac\$2)))) and ((assembl\$4 design\$4 creat\$4) near5 (component\$4 part\$4))) and ((quest\$4 ask\$3) near5 (product\$4 component\$4))) and ((answer\$4 input\$4 typ\$4) near5 (quest\$4 ask\$4))) and (assembl\$4 near5 (part\$4 component\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:19
-	97	(((((gui or ui or (user\$3 near2 interfac\$2)))) and ((assembl\$4 design\$4 creat\$4) near5 (component\$4 part\$4))) and ((quest\$4 ask\$3) near5 (product\$4 component\$4))) and ((answer\$4 input\$4 typ\$4) near5 (quest\$4 ask\$4))) and (pric\$4 near5 (part\$4 component\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 14:16
-	2585252	door\$3 enar3 assembl\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 14:16
-	26589	door\$3 near3 assembl\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 14:17
-	219	((gui or ui or (user\$3 near2 interfac\$2))) and (door\$3 near3 assembl\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 14:17
-	149	((gui or ui or (user\$3 near2 interfac\$2))) and (door\$3 near3 assembl\$4)) and (((gui or ui or (user\$3 near2 interfac\$2))) and ((assembl\$4 design\$4 creat\$4) near5 (component\$4 part\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 14:17
-	2	(((((gui or ui or (user\$3 near2 interfac\$2)))) and (door\$3 near3 assembl\$4)) and (((gui or ui or (user\$3 near2 interfac\$2))) and ((assembl\$4 design\$4 creat\$4) near5 (component\$4 part\$4)))) and (((gui or ui or (user\$3 near2 interfac\$2))) and ((assembl\$4 design\$4 creat\$4) near5 (component\$4 part\$4))) and ((quest\$4 ask\$3) near5 (product\$4 component\$4))) and ((answer\$4 input\$4 typ\$4) near5 (quest\$4 ask\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 14:18
-	3	(((((gui or ui or (user\$3 near2 interfac\$2)))) and (door\$3 near3 assembl\$4)) and (((gui or ui or (user\$3 near2 interfac\$2))) and ((assembl\$4 design\$4 creat\$4) near5 (component\$4 part\$4)))) and (((gui or ui or (user\$3 near2 interfac\$2))) and ((assembl\$4 design\$4 creat\$4) near5 (component\$4 part\$4))) and ((quest\$4 ask\$3) near5 (product\$4 component\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 14:18